

Epson WorkForce Enterprise WF-C21000 D4TW EPP Inkjet A4 600 x 2400 DPI 100 ppm Wi-Fi



Brand : Epson

Product family: WorkForce

Product code: C11CH88401LL

Product name : Enterprise WF-C21000 D4TW EPP

- Faster performance: Fast FCOT of 4.9 seconds and print speeds of up to 100ppm
 - High capacity ink yield: Users can print up to 100,000 pages in mono or 50,000 in colour without changing the ink supplies¹
 - Improved finishing capability: Robust finishing such as booklet finisher and hole punch options
 - Powerful scanning capability: Thin paper support and improved quality of scanning
 - Works with Epson Remote Services: Cloud based, advanced diagnosis of Epson printers and MFPs
- A3, InkJet, Duplex, Print: 100 ppm, 600 x 2400 DPI, CIS Scan, Ethernet, Wi-Fi 802.11 a/b/g/n, USB, NFC

Printing		Input & output capacity	
Print technology *	Inkjet	Multi-Purpose tray	✓
Printing *	Colour printing	Multi-Purpose tray input capacity	150 sheets
Duplex printing *	✓	Auto document feeder (ADF)	✓
Maximum resolution *	600 x 2400 DPI	Maximum input capacity	5350 sheets
Print speed (black, normal quality, A4/US Letter) *	100 ppm	Paper handling	
Print speed (colour, normal quality, A4/US Letter)	100 ppm	Maximum ISO A-series paper size *	A4
Print speed (black, normal quality, A3)	54 ppm	Paper tray media types *	Envelopes, Plain paper, Postcard, Recycled paper
Print speed (colour, normal quality, A3)	54 ppm	ISO A-series sizes (A0...A9) *	A3,A3+,A4,A5,A6
Duplex print speed (black, normal quality, A4/US Letter)	100 ppm	ISO B-series sizes (B0...B9)	B4,B5,B6
Duplex print speed (colour, normal quality, A4/US Letter)	100 ppm	Non-ISO print media sizes	Executive, Legal, Letter
Time to first page (black, normal)	4.9 s	Envelopes sizes	10,C4,C5,C6,DL
Time to first page (colour, normal)	4.9 s	Paper tray media weight	60 - 350 g/m ²
Secure printing	✓	Ports & interfaces	
Copying		Direct printing *	✓
Copying *	Colour copying	USB port	✓
Maximum copy resolution *	600 x 1200 DPI	USB connector	USB Type-A / USB Type-B
Maximum number of copies	9999 copies	Network	
Copier resize	25 - 400%	Wi-Fi *	✓
Scanning		Ethernet LAN *	✓
Duplex scanning *	✓	Cabling technology	10/100/1000Base-T(X)
Scanning *	Colour scanning	Ethernet LAN data rates	10,100,1000 Mbit/s
Optical scanning resolution *	600 x 600 DPI	Near Field Communication (NFC)	✓
Scan technology	CIS	Security algorithms	64-bit WEP,128-bit WEP,HTTPS,IPSEC,SNMP,SSL/TLS,WPA-AES,WPA-PSK,WPA-TKIP
Scan to	E-mail, FTP, PC, USB	Design	
Image formats supported	BMP, JPEG, PNG, TIFF	Product colour *	Black, White
Document formats supported	PDF	Market positioning *	Business
Fax		Built-in display *	✓
Faxing *	Colour faxing	Display	LCD
Fax transmission speed	3 sec/page	Display diagonal	22.6 cm (8.9")
Modem speed	33.6 Kbit/s	Control type	Touch
Fax memory	550 pages	Colour display	✓
Auto-redialing	✓	Power	
Speed dialling	✓	Power consumption (copying)	170 W
Fax forwarding	✓	Power consumption (ready)	76 W
Error Correction Mode (ECM)	✓	Power consumption (sleep)	1.1 W
		Power consumption (off)	0.1 W
		Energy Star Typical Electricity Consumption (TEC)	0.4 kWh/week
		AC input voltage	220 - 240 V
		AC input frequency	50/60 Hz

Features		System requirements	
Recommended duty cycle	8000 - 100000 pages per month	Windows operating systems supported	✓
Maximum duty cycle *	400000 pages per month	Mac operating systems supported	✓
Duplex functions *	Print	Server operating systems supported	Windows Server 2008 R2, Windows Server 2008 R2 x64, Windows Server 2016
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	ESC P, ESC/P-R, PCL 5c, PCL 5e, PCL 6, PDF 1.7, PostScript 3		
Input & output capacity		Weight & dimensions	
Total number of input trays *	4	Width	674 mm
Total input capacity *	2350 sheets	Depth	757 mm
Total output capacity *	550 sheets	Height	1243 mm
Paper tray 1 input capacity	550 sheets	Weight	177.1 kg
Paper tray 2 input capacity	550 sheets		



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.