

Epson WorkForce Pro WF-C879RDWF EPP Inkjet A4 4800 x 1200 DPI 26 ppm Wi-Fi

Brand : Epson

Product family: WorkForce

Product code: C11CH35401LL

Product name : Pro WF-C879RDWF EPP



- High ink yield: Print 86,000 pages mono or 50,000 colour without changing supplies¹
- Less waste: With high capacity ink packs, reduce the need for supplies and reduce waste
- Low power consumption: Epson's Heat-Free technology uses no heat, reducing energy consumption
- Powerful scanning capability: Thin paper support and improved scanning quality
- Works with Epson Remote Services: Cloud-based, advanced diagnosis of Epson printers and MFPs Inkjet, colour, 4800 x 1200DPI, 25ppm, 5.5sec, Flatbet & ADF, CIS, Fax 550pages, Wi-Fi, White Epson WorkForce Pro WF-C879RDWF EPP. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 25 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Colour faxing. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: White

Printing		Paper handling	
Print technology *	Inkjet	ISO C-series sizes (C0...C9)	C4,C5,C6
Printing *	Colour printing	Envelopes sizes	DL
Duplex printing *	✓	Photo paper sizes	10x15,13x18,20x25
Maximum resolution *	4800 x 1200 DPI	Borderless printing media sizes	10x15, 13x18, 20x25, A3, A3+, A4, A5, A6, B4, Legal, Letter
Print speed (black, normal quality, A4/US Letter) *	26 ppm	Ports & interfaces	
Print speed (colour, normal quality, A4/US Letter)	25 ppm	Direct printing *	✓
Duplex print speed (black, normal quality, A4/US Letter)	18 ppm	USB port	✓
Duplex print speed (colour, normal quality, A4/US Letter)	17 ppm	USB connector	USB Type-A
Time to first page (black, normal)	5.5 s	USB 2.0 ports quantity	2
Time to first page (colour, normal)	5.5 s	Optional connectivity	Wireless LAN
Copying		Network	
Copying *	Colour copying	Wi-Fi *	✓
Scanning		Ethernet LAN *	✗
Scanning *	Colour scanning	Wi-Fi standards	802.11a,802.11b,802.11g,Wi-Fi 4 (802.11n)
Optical scanning resolution *	600 x 600 DPI	Design	
Scanner type *	Flatbed & ADF scanner	Product colour *	White
Scan technology	CIS	Market positioning *	Business
Image formats supported	JPEG,TIFF	Built-in display *	✓
Document formats supported	PDF	Display diagonal	12.7 cm (5")
Fax		Control type	Touch
Faxing *	Colour faxing	Colour display	✓
Fax transmission speed	3 sec/page	Power	
Modem speed	33.6 Kbit/s	Power consumption (average operating)	54 W
Fax memory	550 pages	Power consumption (ready)	25 W
Auto-redialing	✓	Power consumption (sleep)	1.1 W
Speed dialling	✓	Power consumption (off)	0.2 W
Features		AC input voltage	100 - 240 V
Printing colours *	Black, Cyan, Magenta, Yellow	AC input frequency	50/60 Hz

Features		System requirements	
Country of origin	Indonesia		
Input & output capacity		Windows operating systems supported	Windows 10,Windows 10 x64,Windows 7,Windows 7 x64,Windows 8,Windows 8 x64,Windows 8.1,Windows Vista,Windows Vista x64,Windows XP
Total number of input trays *	4		
Total input capacity *	250 sheets		
Total output capacity *	250 sheets		
Auto document feeder (ADF)	✓	Mac operating systems supported	Mac OS X 10.10 Yosemite,Mac OS X 10.11 El Capitan,Mac OS X 10.6 Snow Leopard,Mac OS X 10.7 Lion,Mac OS X 10.8 Mountain Lion,Mac OS X 10.9 Mavericks
Auto document feeder (ADF) input capacity	150 sheets		
Paper handling		Server operating systems supported	Windows Server 2003 R2,Windows Server 2003 x64,Windows Server 2008,Windows Server 2008 R2,Windows Server 2012,Windows Server 2012 R2,Windows Server 2012 x64,Windows Server 2016
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Art paper, Glossy paper, Labels, Letterhead, Photo paper		
ISO A-series sizes (A0...A9) *	A3,A3+,A4,A5,A6		
ISO B-series sizes (B0...B9)	B4,B5,B6		
		Weight & dimensions	
		Width	621 mm
		Depth	751 mm
		Height	711 mm
		Weight	79.3 kg
		Packaging data	
		Package width	715 mm
		Package depth	840 mm
		Package height	1086 mm
		Package weight	95.6 kg
		Quantity per pack	1 pc(s)

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-MAR-2022. Prints or copies of Information are only valid on the printed Publication date